

# Ricoh Aficio 1013

<b>BACKGROUND INFORMATION</b>	<b>12438/USA</b>
Dataquest Segment	1
SRP	\$1,895
Manufacturing Status	Discontinued (06/2004)
Domestic Intro Date	November 2001
OEM	Ricoh (China)
Also Sold As	Gestetner 1302; Lanier 5613; Savin 2513
Distributed By	Dealers, branches and subsidiaries
Max Monthly Duty Cycle	5,000 impressions
<b>TYPE</b>	<b>Monochrome copier, MF</b>
Configuration/Scanner	Desktop,digital
Toner	Dry, dual component
<b>GENERAL SPECIFICATIONS/PAPER HANDLING</b>	
First Copy Time	8 sec
Multicopy (Ltr/Lq/Ldgr)	13 cpm/Info not avail/Not applicable
Warm-up Time	20 sec
Std Paper Source(s)	Single drawer
Std Paper Capacity	250 sheets
Paper Weights	16 to 24 lbs
Bypass/Paper Weights	100-sheet/16-lb bond to 42 lbs
Max Paper Sources	3
Max Paper Capacity	850 sheets
Max Original Size	8-1/2 x 14*
Output Size (Min/Max)	5-1/2 x 8-1/2/8-1/2 x 14
Copy Resolution	600 x 600 dpi
Copier Memory (Std/Max)	8 MB/40 MB
Duplex	Manual
Duplex Capacity/Paper Sizes	Not applicable
Document Feeder	Opt ADF
Doc Feeder Speed/Capacity	13 opm/30 orig
Paper Weights	14 to 28 lbs
Sorter (Bins/Capacity)	None
Staple Sorter	None
Bins/Stapling Capacity	Not applicable
Stapling Positions	Not applicable
Finisher	None
Tray/Stapling/Position(s)	Not applicable
Other	Electronic sorting (w/32-MB option); opt paper bank (adds one user-adjustable 500-sheet drawer); *8-1/2 x 11 max original size off the glass
<b>SECURITY SPECS</b>	
Network User Authentication	Info not avail
IP Address Filtering	Info not avail
MAC Address Filtering	Info not avail
HDD Overwrite	Info not avail
Max Overwrites	Info not avail
HDD Encryption	Info not avail
Secure Print	Info not avail
Other	
<b>CONTROL PANEL</b>	<b>Keypad</b>
Quantity Selector	1 to 99 (0 to 9 keypad)
Message Display	Yes

Help Key	No
<b>FEATURES</b>	
Automatic Features	AES, AS, ASO
Book Copy	No
Booklet Mode	No
Color	No
Copy Control	10
Covers	No
Editing	No
Energy-Save	Yes
Erase	No
Image Insert	No
Image Overlay	No
Image Repeat	No
Image Rotate	No
Interrupt	No
Job Build	No
Job Programs	No
Job Time	No
Language	No
Margin Shift	No
Neg/Pos	No
OHP Interleaving	No
Photo Mode	Yes
Poster Mode	No
Preset R/E	3R,2E
Program Ahead	No
Sheet Insertion	No
Stamping	No
Timer	No
2-in-1	Std
XY Zoom	No
Zoom Range	50 to 200 (1%)
Other Features	Scan once, print many; user tools
<b>ADDITIONAL INFORMATION</b>	
Dimensions (HxWxD)	18" x 18" x 18"
Weight	44/48 lbs
Power Requirements	120 V, 15 A
Dedicated Outlet	Not required
Energy Star Compliant	Yes
Operating Noise Level	Info not avail
COMMENTS	None
<b>OPTIONS</b>	
	ADF: \$325 500-sheet paper bank: \$340 Cabinet: \$207 32-MB copier memory: \$185
<b>MAINTENANCE</b>	
Fuser Rollers	Two
Yield	Info not avail
Cleaning Blades	Info not avail
Yield	Info not avail
Other	Info not avail
Yield	Info not avail
Fuser Oil	Not required
PM Schedule	45,000

<b>SUPPLIES</b>	
Photoconductor	Organic drum unit
Yield	45,000
Price	Priced by dealer
Toner	230g btl
Yield	7,000
% Coverage	6%
Price	Priced by dealer
Developer	Incl in drum unit
Yield	45,000
Price	Incl in drum unit
<b>MULTIFUNCTION MODES</b>	
Copier	Std
Internet Fax	No
Network Printer	Opt
Printer	Opt
Fax	No/Std
Network Fax	No
PC Fax	No
Scanner	No
<b>CONNECTIVITY SPECIFICATIONS</b>	
Operating System Support	Mac 8.x, 9.x, Win 9.x, NT 4.0, 2000**
Parallel Interface	Opt
PC Fax/Print/Scan	No/Yes/No
Serial Interface	None
PC Fax/Print/Scan	Not applicable
USB Interface	None
PC Fax/Print/Scan	Not applicable
Network Interface	Opt Ethernet
Interface Type	10/100BaseT
LAN Fax/Print/Scan	No/Yes/No
Networks Supported	
NetWare	Yes
Windows NT	Yes
AppleTalk	Yes
UNIX	Yes
AS/400	Yes
Other	None
<b>FACSIMILE SPECIFICATIONS</b>	
Scanner Technology	Not applicable
Compression Method	Not applicable
Modem Speed	Not applicable
Max TX Resolution	Not applicable
Gray Scale/Halftones	Not applicable
Std/Max Fax Memory	Not applicable
Min/Max Orig Size (WxL)	Not applicable/8-1/2 x 14
Max Paper/Print Width	Not applicable
Effective Scanning Width	Not applicable
Correct-Order Output	Not applicable
Batch Files	Not applicable
Battery Backup	Not applicable
Confid TX/RX	Not applicable
Dual Lines	Not applicable
Multi Access	Not applicable
Polling	Not applicable
Relay Request	Not applicable
Smoothing	Not applicable
Timers	Not applicable

Transfer Hub	Not applicable
<b>DIALING CAPABILITIES</b>	
Broadcasting (Groups/Dest)	Not applicable
Redial (Attempts/Intervals)	Not applicable
One Touch	Not applicable
Speed Dial	Not applicable
Other	
<b>PRINTER SPECIFICATIONS</b>	
Engine Mfr & Model	Ricoh/Aficio 1013
Compatibility	IBM PC, Mac
Speed	13 ppm
Max Print Area	8-1/2 x 14
Enhanced Resolution	1200 x 1200 dpi
Unenhanced Resolution	600 x 600 dpi
Std/Max Printer Memory	16 MB/144 MB
Controller Mfr/Model	Destiny/Info not avail
Processor/Bits/MHz	INA/INA/75
PDL/PCL	PCL 5e/6, opt PostScript 2
Controller Mfr/Model	Not applicable
Processor/Bits/MHz	Not applicable
PDL/PCL	Not applicable
Controller Mfr/Model	Not applicable
Processor/Bits/MHz	Not applicable
PDL/PCL	Not applicable
Other	Slipsheet insertion; edge smoothing; watermarks; tray locking; SmartDevice Monitor utility
<b>SCANNER AND IMAGE MANAGEMENT SPECIFICATIONS</b>	
Connection Type	Not applicable
Technology/Speed	Not applicable
Max Resolution	Not applicable
TWAIN Compatible	Not applicable
Scan Destinations	
E-mail	NA
I-fax	INA
FTP	INA
SMB	INA
HDD	INA
URL	INA
LDAP Support	Info not avail
Scan/Image Software	Not applicable
OCR Software	Not applicable
File Mgmt Software	Not applicable
<b>COMMENTS</b>	
	**Also Me and XP
<b>CONNECTIVITY/MF OPTIONS</b>	
	Print controller Type 1013: \$450 PostScript 2 kit Type 1018: \$360 Network interface board Type 1018: \$485 32-MB copier/printer memory: \$185 64-MB printer memory: \$345 128-MB printer memory: \$440 Handset: \$65