

# Ricoh Aficio 3260C

<b>BACKGROUND INFORMATION</b>	<b>13227/USA</b>
Dataquest Segment	NA
SRP/Street Price	\$33,400*/Info not avail
Manufacturing Status	
Domestic Intro Date	July 2005
OEM	Ricoh (Japan)
Also Sold As	Gestetner DSc460; Lanier LD160c; Savin C6045; Toshiba e-STUDIO4500c
Distributed By	Dealers, branches and subsidiaries
Max Monthly Duty Cycle	150,000 impressions
<b>TYPE</b>	<b>Full-color copier, MF</b>
Configuration/Scanner	Console,digital
Toner	Dry, monocomponent
<b>GENERAL SPECIFICATIONS/PAPER HANDLING</b>	
First Copy Time	7.5 sec color/6.5 sec black**
Multicopy (Ltr/Lgl/Ldgr)	45 cpm color/60 cpm black**
Warm-up Time	5 min
Std Paper Source(s)	Triple drawer
Std Paper Capacity	2,200/550/550 sheets
Paper Weights	14 to 34 lbs
Bypass/Paper Weights	100-sheet/14-lb bond to 140-lb index
Max Paper Sources	6
Max Paper Capacity	7,400 sheets
Max Original Size	11 x 17
Output Size (Min/Max)	5-1/2 x 8-1/2/12 x 18
Copy Resolution	600 x 600 dpi
System Memory (Std/Max)	1.38 GB, 320-GB HD/1.38-GB RAM, 320-GB HD
Duplex	Auto (1:2,2:2,2:1)
Duplex Capacity/Paper Sizes	Unlimited/5-1/2 x 8-1/2 to 12 x 18
Document Feeder	Std RADF
Doc Feeder Speed/Capacity	45 opm, 60 opm**/100 orig
Paper Weights	11 to 34 lbs
Sorter (Bins/Capacity)	None
Staple Sorter	None
Bins/Stapling Capacity	Not applicable
Stapling Positions	Not applicable
Finisher	Opt finishers
Tray/Stapling/Position(s)	2,000, 3,000, 3,000/50, 50, 100/4, 4, 5
Other	Opt saddle-stitch finisher V folds
<b>SECURITY SPECS</b>	
Network User Authentication	Yes
IP Address Filtering	Yes
MAC Address Filtering	No
HDD Overwrite	Opt
Max Overwrites	No
HDD Encryption	Opt

Secure Print	Yes
Encrypted Secure Print	
Encrypted PDF Mode (Encrypted Scanning)	
IPsec	
Secure Sockets Layer (SSL)	
SNMPv3	
Transport Layer Security	
Other	Port blocking (with Fiery only)
<b>CONTROL PANEL</b>	<b>Keypad and touch screen</b>
Quantity Selector	1 to 999 (0 to 9 keypad)
Message Display	Yes
Help Key	No
<b>FEATURES</b>	
Automatic Features	AES, APS, ATS
Book Copy	Yes
Booklet Mode	Std
Color	Std
Copy Control	Std
Covers	Std
Editing	Std
Energy-Save	Yes
Erase	Std
Image Insert	Yes
Image Overlay	Std
Image Repeat	Yes
Image Rotate	Std
Interrupt	Yes
Job Build	Yes
Job Programs	8
Job Time	No
Language	Std
Margin Shift	Yes
Neg/Pos	Yes
OHP Interleaving	Yes
Photo Mode	Yes
Poster Mode	Yes
Preset R/E	7R, 5E
Program Ahead	Std
Sheet Insertion	Std
Stamping	Std
Timer	Yes
2-in-1	Std
XY Zoom	Yes
Zoom Range	25 to 400 (1%)
Other Features	**Full color/black and white; RADF includes anti-skew sensors; tandem copy; *Price listed is with Ricoh controller, \$36,480 with e7000 controller; supports Ricoh's SDK/J Embedded Software Architecture; 4-bit color depth
<b>ADDITIONAL INFORMATION</b>	
Dimensions (HxWxD)	29.5" x 33.5" x 41.3"

Weight	656.9 lbs
Power Requirements	120 V, 20 A
Dedicated Outlet	Required
Energy Star Compliant	Yes
Operating Noise Level	71 dB
COMMENTS	None
<b>OPTIONS</b>	
	3,000-sheet finisher with 50-sheet stapling (SR970): \$3,000 Saddle-stitch finisher (SR4000): \$5,200 3,000-sheet finisher with 100-sheet stapling (SR842): \$5,580 4,000-sheet LCT: \$2,200 Hole punch unit: \$875 Cover interposer: \$1,100 Jogger unit: \$350 8-1/2 x 14 tray: \$810 Tab sheet holder: \$45 9-bin mailbox: \$2,000
<b>MAINTENANCE</b>	
Fuser Rollers	Fusing belt
Yield	600,000
Cleaning Blades	Belt Blade
Yield	300,000
Other	Not applicable
Yield	Not applicable
Fuser Oil	Not required
PM Schedule	Info not avail
<b>SUPPLIES</b>	
Photoconductor	Organic drums
Yield	300,000
Price	Priced by dealer
Toner	910g black/530g color
Yield	36,000 black/18,000 color
% Coverage	5%
Price	Priced by dealer
Developer	Weight not avail
Yield	Info not avail
Price	Priced by dealer
<b>MULTIFUNCTION MODES</b>	
Copier	Std
Internet Fax	Std
Network Printer	Std
Printer	Std
Fax	No
Network Fax	No
PC Fax	No
Scanner	Std
<b>CONNECTIVITY SPECIFICATIONS</b>	
Operating System Support	Windows, Mac
Parallel Interface	Opt

PC Fax/Print/Scan	No/Yes/Yes
Serial Interface	None
PC Fax/Print/Scan	Not applicable
USB Interface	Std
PC Fax/Print/Scan	No/Yes/Yes
Network Interface	Std Ethernet, opt wireless
Interface Type	10/100BaseTX, 802.11b***
LAN Fax/Print/Scan	No/Yes/Yes
Networks Supported	
NetWare	Yes
Windows NT	Yes
AppleTalk	Yes
UNIX	Yes
AS/400	Opt
Other	
<b>FACSIMILE SPECIFICATIONS</b>	
Scanner Technology	Not applicable
Compression Method	Not applicable
Modem Speed	Not applicable
Max TX Resolution	Not applicable
Gray Scale/Halftones	Not applicable
Std/Max Fax Memory	Not applicable
Min/Max Orig Size (WxL)	Not applicable
Max Paper/Print Width	Not applicable
Effective Scanning Width	Not applicable
Correct-Order Output	Not applicable
Batch Files	Not applicable
Battery Backup	Not applicable
Confid TX/RX	Not applicable
Dual Lines	Not applicable
Multi Access	Not applicable
Polling	Not applicable
Relay Request	Not applicable
Smoothing	Not applicable
Timers	Not applicable
Transfer Hub	Not applicable
<b>DIALING CAPABILITIES</b>	
Broadcasting (Groups/Dest)	Not applicable
Redial (Attempts/Intervals)	Not applicable
One Touch	Not applicable
Speed Dial	
Other	
<b>PRINTER SPECIFICATIONS</b>	
Engine Mfr & Model	Ricoh/Aficio 3260C
Compatibility	PC, Mac
Speed	45/60 ppm**
Max Print Area	12 x 18
Enhanced Resolution	600 x 600 dpi
Unenhanced Resolution	600 x 600 dpi
Std/Max Printer Memory	Shared

Controller Mfr/Model	Ricoh/Printer scanner kit
Processor/Bits/MHz	Celeron/INA/733
PDL/PCL	RPCS, PCL 5c, opt Adobe PostScript 3
Controller Mfr/Model	EFI/Fiery E-7000****
Processor/Bits/MHz	Celeron/INA/2 GHz
PDL/PCL	Adobe PostScript 3Celeron/INA/2 GHz
Controller Mfr/Model	Fiery E-8000*****
Processor/Bits/MHz	Pentium 4/NA/3.06 GHz
PDL/PCL	Adobe PostScript3
Other	****Std/max memory for E-7000 controller 512 MB, 40-GB HD/512 MB, 40-GB HD; *****Std/max memory on E-8000 controller 1 GB, 80-GB HD/1 GB, 80-GB HD
<b>SCANNER AND IMAGE MANAGEMENT SPECIFICATIONS</b>	
Connection Type	Network
Technology/Speed	CCD/45 ipm, 60 ipm**
Max Resolution	600 x 600 dpi
TWAIN Compatible	Yes
Scan Destinations	
E-mail	Yes
I-fax	Yes
FTP	Yes
SMB	Yes
HDD	Yes
URL	Yes
LDAP Support	Yes
Scan/Image Software	Std
OCR Software	None
File Mgmt Software	Std
<b>COMMENTS</b>	
	***Also opt Bluetooth wireless
<b>CONNECTIVITY/MF OPTIONS</b>	
	IEEE 1284 parallel: \$99 Bluetooth wireless: \$340 802.11b wireless: \$375 Fiery E-7000 controller: \$6,050 EFI Fiery Impose option (USB): \$2,825 EFI Fiery Impose (parallel): \$2,825 EFI Fiery Auto Trapping: \$1,200 EFI Fiery Spot On: \$1,200 EFI Fiery Hot folders: \$1,200 Atlas PrintShop Mail PC: \$1,755 Atlas PrintShop Mail Mac: \$1,755 Adobe PostScript 3: \$2,200 Printer scanner kit: \$2,970 GBC Stream Punch III \$8,995