

# Ricoh Aficio 6010

<b>BACKGROUND INFORMATION</b>	<b>12021/USA</b>
Dataquest Segment	NA
SRP	\$28,950
Manufacturing Status	Discontinued
Domestic Intro Date	July 1999
OEM	Ricoh (Japan)
Also Sold As	Gestetner 210E; Lanier 5710; Savin SDC410
Distributed By	Dealers, branches and subsidiaries
Max Monthly Duty Cycle	20,000 impressions
<b>TYPE</b>	<b>Full-color copier, MF</b>
Configuration/Scanner	Console,digital
Toner	Dry, dual component
<b>GENERAL SPECIFICATIONS/PAPER HANDLING</b>	
First Copy Time	16.5/8 sec*
Multicopy (Ltr/Lgl/Ldgr)	10.5/40 cpm*
Warm-up Time	8.5 min
Std Paper Source(s)	Triple drawer
Std Paper Capacity	500/500/500 sheets
Paper Weights	17 to 28 lbs
Bypass/Paper Weights	50-sheet/14-lb bond to 140-lb index
Max Paper Sources	5
Max Paper Capacity	3,050 sheets
Max Original Size	11 x 17
Output Size (Min/Max)	5-1/2 x 8-1/2/13 x 19
Copy Resolution	600 x 600 dpi
Copier Memory (Std/Max)	Info not avail
Duplex	Auto (1:2,2:2,2:1)
Duplex Capacity/Paper Sizes	50-sheet/5-1/2 x 8-1/2 to 11 x 17
Document Feeder	Opt RADF
Doc Feeder Speed/Capacity	8 opm, 31 opm*/50 orig
Paper Weights	14 to 34 lbs
Sorter (Bins/Capacity)	None
Staple Sorter	Opt 20-bin
Bins/Stapling Capacity	50/50 sheets per set
Stapling Positions	3 positions
Finisher	None
Tray/Stapling/Position(s)	Not applicable
Other	
<b>SECURITY SPECS</b>	
Network User Authentication	Info not avail
IP Address Filtering	Info not avail
MAC Address Filtering	Info not avail
HDD Overwrite	Info not avail
Max Overwrites	Info not avail

HDD Encryption	Info not avail
Secure Print	Info not avail
Other	
<b>CONTROL PANEL</b>	<b>Keypad</b>
Quantity Selector	1 to 999 (0 to 9 keypad)
Message Display	Yes
Help Key	No
<b>FEATURES</b>	
Automatic Features	AES, AMS, APS, AS, ATS
Book Copy	Yes
Booklet Mode	No
Color	Std
Copy Control	50
Covers	Std
Editing	Std
Energy-Save	Yes
Erase	No
Image Insert	No
Image Overlay	No
Image Repeat	No
Image Rotate	Std
Interrupt	Yes
Job Build	No
Job Programs	10
Job Time	No
Language	Std
Margin Shift	Yes
Neg/Pos	Yes
OHP Interleaving	Yes
Photo Mode	Yes
Poster Mode	No
Preset R/E	7R,5E
Program Ahead	No
Sheet Insertion	No
Stamping	No
Timer	No
2-in-1	Opt
XY Zoom	Yes
Zoom Range	25 to 400 (1%)
Other Features	*Full-color/black and white; auto color, single color, twin color; text mode; map mode; marker pen mode; centering; color conversion; color erase; mirror image; second generation, ink jet and special original copy modes; 9 color adjustment opt; image rotation
<b>ADDITIONAL INFORMATION</b>	
Dimensions (HxWxD)	39" x 29" x 30"
Weight	594 lbs
Power Requirements	120 V, 20 A
Dedicated Outlet	Recommended
Energy Star Compliant	Yes
Operating Noise Level	70 dB

COMMENTS	Opt film projector; full bleed on 13 x 19; opt 1,500-sheet LCT; scan once, print many; **10 bit
<b>OPTIONS</b>	
	RADF: \$1,960 20-bin stapler sorter: \$3,255 1,500-sheet LCT: \$1,599 Film projector: \$3,434
<b>MAINTENANCE</b>	
Fuser Rollers	Two
Yield	Info not avail
Cleaning Blades	Info not avail
Yield	Info not avail
Other	Info not avail
Yield	Info not avail
Fuser Oil	Required
PM Schedule	Info not avail
<b>SUPPLIES</b>	
Photoconductor	Organic drum
Yield	80,000
Price	Priced by dealer
Toner	270g black/270g color ctrdg
Yield	13,330 black/13,330 color
% Coverage	15%
Price	Priced by dealer
Developer	700g black/700g color bag
Yield	60,000 black/48,000 color
Price	Priced by dealer
<b>MULTIFUNCTION MODES</b>	
Copier	Std
Internet Fax	No
Network Printer	Opt
Printer	INA
Fax	No
Network Fax	No
PC Fax	No
Scanner	No
<b>CONNECTIVITY SPECIFICATIONS</b>	
Operating System Support	Mac, UNIX, Win
Parallel Interface	Opt (with Fiery)
PC Fax/Print/Scan	No/Yes/No
Serial Interface	Std (with Fiery)
PC Fax/Print/Scan	No/Yes/No
USB Interface	None
PC Fax/Print/Scan	Not applicable
Network Interface	Opt Ethernet, opt Token Ring
Interface Type	100BaseT, 10BaseT
LAN Fax/Print/Scan	No/Yes/No
Networks Supported	
NetWare	Yes

Windows NT	Yes
AppleTalk	Yes
UNIX	Yes
AS/400	No
Other	None
<b>FACSIMILE SPECIFICATIONS</b>	
Scanner Technology	Not applicable
Compression Method	Not applicable
Modem Speed	Not applicable
Max TX Resolution	Not applicable
Gray Scale/Halftones	Not applicable
Std/Max Fax Memory	Not applicable
Min/Max Orig Size (WxL)	Not applicable
Max Paper/Print Width	Not applicable
Effective Scanning Width	Not applicable
Correct-Order Output	Not applicable
Batch Files	Not applicable
Battery Backup	Not applicable
Confid TX/RX	Not applicable
Dual Lines	Not applicable
Multi Access	Not applicable
Polling	Not applicable
Relay Request	Not applicable
Smoothing	Not applicable
Timers	Not applicable
Transfer Hub	Not applicable
<b>DIALING CAPABILITIES</b>	
Broadcasting (Groups/Dest)	Not applicable
Redial (Attempts/Intervals)	Not applicable
One Touch	Not applicable
Speed Dial	Not applicable
Other	
<b>PRINTER SPECIFICATIONS</b>	
Engine Mfr & Model	Ricoh/Aficio Color 6010, 6110
Compatibility	IBM PC, Mac
Speed	10.5/40 ppm*
Max Print Area	12.7 x 18.6
Enhanced Resolution	4,800 x 600 dpi
Unenhanced Resolution	600 x 600 dpi
Std/Max Printer Memory	160 MB, 3.2-GB HD/160 MB, 3.2 GB***
Controller Mfr/Model	EFI/Fiery E-650
Processor/Bits/MHz	MIPS R5000/Info not avail/200
PDL/PCL	Adobe PostScript 3
Controller Mfr/Model	EFI/Fiery E-800A****
Processor/Bits/MHz	Pentium III/Info not avail/500
PDL/PCL	Adobe PostScript 3
Controller Mfr/Model	EFI/Fiery E-700*****
Processor/Bits/MHz	Intel Celeron/Info not avail/366
PDL/PCL	Adobe PostScript 3
Other	***E650 controller specs; ****Fiery E-800A has 320-MB, 9.1-

	GB HDD/576 MB, 18.2-GB HDD std/max memory; *****Fiery E-700 std/max memory, 256 MB, 8.4-GB HDD
<b>SCANNER AND IMAGE MANAGEMENT SPECIFICATIONS</b>	
Connection Type	Direct
Technology/Speed	CCD/8 ipm, 31 ipm*
Max Resolution	400 x 400 dpi
TWAIN Compatible	Yes
Scan Destinations	
E-mail	No
I-fax	INA
FTP	INA
SMB	INA
HDD	INA
URL	INA
LDAP Support	Info not avail
Scan/Image Software	Opt Fiery Scan
OCR Software	None
File Mgmt Software	None
<b>COMMENTS</b>	
<b>CONNECTIVITY/MF OPTIONS</b>	
	Fiery E-650 controller: \$9,950 Controller interface F: \$800 Fiery E-800A controller: \$18,995 Controller interface G: \$650 E-800A Doc Builder Pro: \$2,199 E-800A central interface: \$2,799 E-800A Token Ring: \$550 E-800A dual CPU: \$2,399 E-800A HDD upgrade: \$2,599 256-MB memory upgrade: \$1,399 128-MB memory upgrade: \$699 Fiery E-700 controller: \$6,960